

1.1 Product And Company Identification

Product Information: Insette Linen Fresh Air freshener

UFI Numbers: HK00-V0H9-000J-PYSY

1.2. Relevant identified use of the substance or mixture and uses advised against

Use and substance /mixture: Air freshener

1.3. Details of the supplier of the safety data sheet

Company name:	L.E.C. (L`pool) Ltd.,
	Alfred Street,
	Wavertree,
	Liverpool,
	L15 4LH
	Tel: +44 (0)151 734 1411
	Email: steve@insette.com

1.4. Emergency telephone number

Emergency tel: +44(0)151 734 1411




Managing Director: M.P. Johnson, C.O.O: S.C. Daly Directors: L.M. Blackhurst, D.D. Dwyer, Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154 Page **1** of **14** Revision: 2 20 April 2023



Section 2: Hazards identification

2.1 Classification of the substance or mixture				
Classification under CLP: Danger extremely flammable aerosol				
Most important adverse effects: Extremely flammable				
May cause an allergic skin reaction				
2.2 Label elements				

Hazard statements:H2Signal words:DaHazard pictograms:GH





Hazard Statements:H222 Extremely flammable aerosolPrecautionary statements:P234 Keep only in original container. P260 Do not breathe vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C.	•	
 P260 Do not breathe vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures 	Hazard Statements:	H222 Extremely flammable aerosol
 P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures 	Precautionary statements:	P234 Keep only in original container.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures 		P260 Do not breathe vapour/ spray.
 protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures 		P264 Wash contaminated skin thoroughly after handling.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures 		
contaminated clothing. Rinse skin with water/ shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures		P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures 		P303+P361+P353 IF ON SKIN (or hair): Take off immediately all
for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures		contaminated clothing. Rinse skin with water/ shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures		P304+P340 IF INHALED: Remove person to fresh air and keep comfortable
minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures		for breathing.
rinsing. P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures		P305+P351+P338 IF IN EYES: Rinse cautiously with water for several
P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures		minutes. Remove contact lenses, if present and easy to do. Continue
P321 Specific treatment (see medical advice on this label). P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures		rinsing.
P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures		P310 Immediately call a POISON CENTER/ doctor.
P390 Absorb spillage to prevent material damage. P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures		P321 Specific treatment (see medical advice on this label).
P501 Dispose of contents/ container in accordance with national regulations. P410+P412: Protect from sunlight. Do not expose to temperatures		P363 Wash contaminated clothing before reuse.
regulations. P410+P412: Protect from sunlight. Do not expose to temperatures		P390 Absorb spillage to prevent material damage.
P410+P412: Protect from sunlight. Do not expose to temperatures		P501 Dispose of contents/ container in accordance with national
		regulations.
exceeding 50°C.		
		exceeding 50°C.



Managing Director: M.P. Johnson, C.O.O: S.C. Daly Directors: L.M. Blackhurst, D.D. Dwyer, Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154 Page **2** of **14** Revision: 2 20 April 2023



2.3. Other hazards

Heating may cause an explosion which may cause a fire. Risk of explosion if heated. Reactions with the following materials may generate heat: Strong acids.

Section 3:

Composition/information on ingredients

3.2 Mixtures

Hazardous ingredient:

Ingredient	EINECS	CAS	Reach number	CLP Classification	Percent
Sodium Nitrite	231-555-	7632-00-	01-	H272, H301, H400	0.0 -0.1%
	9	0	2119471836-27		
Parfum(Fragrance)	n/a	n/a	Exempt	H315, H317, H319,	0.1 -1.0%
	Πyα	iiy a	Exempt	H411	0.1 1.070
PETROLEUM	270-704-	68476-	Exempt	H220; H280	25 -50%
GASES, LIQUIFIED	2	85-7		Flammable Gas,	
				Category 1	

Section 4:

First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the effected skin with running water for 10 minutes if substance is still on skin.

Eye contact: Bathe the eye with running water for about 15 minutes. If symptoms persist seek medical advice.

Ingestion: Do not induce vomiting. Wash out mouth with water. Give 1 cup of water to drink every 10 minutes. If symptoms persist seek medical advice.





Inhalation: Move to fresh air in case of accidental inhalation of vapours. If symptoms persist seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

General Information: The severity of the symptoms described will vary dependant on the concentration and length of exposure.

Skin contact: Prolonged contact may cause irritation and redness at the site of contact.

Eye contact: May cause irritation and redness.

Ingestion: No specific symptoms known, but may cause discomfort if swallowed.

Inhalation: In high concentration may cause breathing difficulties.

Delayed/immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical and special attention needed. None.

Section 5:

Fire-fighting measures 5.1. Extinguishing media. Extinguishing media: Use water spray to cool containers. Carbon dioxide. Dry chemical powder.

5.2. Special hazards arising from the substance or mixture Exposure hazards: Extremely flammable.

Managing Director: M.P. Johnson, C.O.O: S.C. Daly Directors: L.M. Blackhurst, D.D. Dwyer, Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154 Page 4 of 14



Revision: 2 20 April 2023



5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Fight fire remotely due to possible exploding aerosol containers.

Section 6

Accidental release measures

6.1. Personal precaution, protective equipment and emergency procedures.

Personal precaution: Wear protective clothing, gloves eye and face protection. Eliminate all sources of ignition. Evacuate the area immediately.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Method and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Dispose of according to the Local Authority Regulations.

6.4. Reference to other sections: None.

Section 7:

Handling and storage

7.1. Precaution for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Smoking is forbidden. Pressurised container: Do not pierce or burn, even after use.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of ignition. Keep out of direct sunlight.

Suitable packaging: As supplied aerosol containers.

7.3. Specific end use(s): The identified uses for this product are detailed in section 1.2.



Managing Director: M.P. Johnson, C.O.O: S.C. Daly Directors: L.M. Blackhurst, D.D. Dwyer, Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154



Section 8:

Exposure controls/personal protection

8.1. Control parameters

Hazard ingredients:

Workplace exposure limits:

Sodiu	m Nitrite	
Location 8 hour TWA		15 min. STEL
UK	Inhalation; Long term systemic effects: 2 mg/m ³	Inhalation; Short term systemic effects: 2 mg/m ³

Parfum (Fragrance)		
Location 8 hour TWA		15 min. STEL
UK	Not applicable	Not applicable

PETROLEUM GASES LIQUIFIED		
Location 8 hour TWA		15 min. STEL
UK 1750mg mg/m ³		2180mg mg/m ³

8.2. Exposure Control

Engineering measures: Ensure there is sufficient ventilation of the area, ensure lighting and electrical equipment are not a source of ignition. The floor of the storage room must be impermeable to prevent the escape of liquids.

Respiratory protection: Gas/vapour filter, type A: organic vapours (EN141).

Hand protection: Use protective gloves to specification EN1149-5 compliant.

Eye protection: Tightly fitting safety goggles.

Skin protection: Protective clothing.

Environmental: Prevent from entering in public sewers or the immediate environment.



Managing Director: M.P. Johnson, C.O.O: S.C. Daly Directors: L.M. Blackhurst, D.D. Dwyer, Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154



Section 9:

Physical and chemical properties

9.1. Physical and chemical properties

Physical State	Aerosol
Appearance(Aerosol)	Spray
Odour	Characteristic of variant
Ph	6.0 -8.0
Melting Point/Freezing Point	No data available
Boiling Point/Range	N/A (Aerosol)
Flash Point	-40°C
Evaporation Rate	No data available
Flammability (Solid, Gas)	No data available
Upper/Lower Flammability	No data available
Vapour Pressure	4.0 bar @20°c
Specific Gravity	0.780 -0.800
Water Solubility	Very soluble
Solubility Other Solvents	No data available
Partition Coefficient: n-octanol/water	No data available
Auto-Ignition Temperature	No data available
Viscosity	No data available
Explosive Properties	No data available
Oxidising Properties	No data available

9.2. Other information: No data available.

Section 10:

Stability and reactivity

10.1. Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3. Possibility of hazardous reaction: Hazardous reaction will not occur under normal transport or storage conditions.

Managing Director: M.P. Johnson, C.O.O: S.C. Daly Directors: L.M. Blackhurst, D.D. Dwyer, Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154



Revision: 2 20 April 2023



10.4. Conditions to avoid: Temperatures exceeding 50°C should not be stored for long periods above 25°C.

10.5. Incompatible materials: None known.

10.6. Hazardous decomposition products: In combustion emits fumes of carbon dioxide/carbon monoxide.

Section 11

Toxicological information

11.1. Information on toxicological effects

Symptoms/routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed/immediate effects: Immediate effects can be expected after short-term exposure.

Acute Toxicity;	No known effect
Skin Corrosion/Irritation;	No known effect
Serious Eye Damage/Irritation;	No known effect
Respiratory Or Skin Sensitisation;	No known effect
Germ Cell Mutagenicity;	No known effect
Carcinogenicity;	No known effect
Reproductive Toxicity;	No known effect
STOT-Single Exposure;	No known effect

Managing Director: M.P. Johnson, C.O.O: S.C. Daly Directors: L.M. Blackhurst, D.D. Dwyer, Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154



Revision: 2 20 April 2023

Page 8 of 14



STOT-Repeated Exposure;	No known effect
Aspiration Hazard;	No known effect

12. ECOLOGICAL INFORMATION

Product: The product itself has not been tested.

Toxicity: The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish						
Component	CAS	End Point	Species	Value	Exposure Time	
Sodium Nitrite	7632-00-0	LC50	Oncorhynchus mykiss (Rainbow trout)	0.54 mg/l	96 hours	
Parfum	N/A	N/A	Very toxic to aqua	Very toxic to aquatic life with long lasting effects.		
Liquified petroleum gas	68476-85-7	LC50	Physical properties indicate that petroleum gases will rapidly volatilise from the aquatic environment and that acute and chronic effects would not be observed in practice.			

Toxicity to aquatic invertebrates					
Component	CAS	End Point	Species	Value	
Sodium Nitrite	7632-00- 0	EC50	Daphnia magna	48 hours: 15.4 mg/l 96 hours: 4.93 mg/l	
Parfum	N/A			No information available.	
Liquified petroleum gas	68476- 85-7	Physical properties indicate that petroleum gases will rapidly volatilise from the aquatic environment and that acute and chronic effects would not be observed in practice.			

Managing Director: M.P. Johnson, C.O.O: S.C. Daly Directors: L.M. Blackhurst, D.D. Dwyer, Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154



Revision: 2 20 April 2023

Page 9 of 14



Toxicity to aquatic plants						
Component	CAS	End Point	Species	Value	Component	
Sodium Nitrite	7632-00-0	EC50	Scenedesmus	72 hours: > 100		
			subspicatus	mg/l		
Parfum	N/A			No information		
				available.		
Liquified	68476-85-7	No information	No information	Physical properties indicate that		
petroleum gas		available.	available.	petroleum gases will rapidly		
				volatilise from the	e aquatic	
				environment and	that acute and	
				chronic effects w	ould not be	
observed ir		observed in pract	actice.			

Persistence and degradability				
Component	CAS	Biodegradation		
Sodium Nitrite	7632-00-0	The product contains mainly inorganic substances which are not		
		biodegradable.		
Parfum	N/A	No information available.		
Liquified petroleum	68476-85-7	Expected to be readily biodegradable. Oxidises rapidly by photo		
gas		chemical reactions in air.		

Bio accumulative Potential					
Component	CAS	Bio concentration factor (BCF)	Partition coefficient		
Sodium Nitrite	7632-00-0	The product is not bio accumulating.			
Parfum	N/A	Not available.			
Liquified petroleum gas	68476-85-7	Not expected to bio accumulate significantly.			

Managing Director: M.P. Johnson, C.O.O: S.C. Daly Directors: L.M. Blackhurst, D.D. Dwyer, Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154



Revision: 2 20 April 2023

Page **10** of **14**



Mobility Component CAS End point Sodium Nitrite 7632-00-0 The product is soluble in water. Parfum N/A Not available. Liquified petroleum gas 68476-85-7 Because of their extreme volatility, air is the only environmental compartment that hydrocarbon gases will be found.

PBT and vPvB assessment				
Component	CAS	Results		
Sodium Nitrite	7632-00-0	This substance is not classified as PBT or vPvB according to current EU criteria.		
Parfum	N/A	This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.		
Liquified petroleum gas	68476-85-7	The substance does not fulfil all screening criteria for persistence, bioaccumulation and toxicity and hence is not considered to be PBT or vPvB.		

Other adverse effects: None known.

Section 13:

Disposal considerations

13.1. Waste treatment methods

Disposal operations: Dispose of as per the Local Authority Regulations.

Section 14: Transport information

Classified as dangerous goods for carriage under road/rail/sea/air regulations. This product is packed in accordance with the Limited Quantity Provisions of CDG, ADR and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the Limited Quantities requirements of these regulations.



Managing Director: M.P. Johnson, C.O.O: S.C. Daly Directors: L.M. Blackhurst, D.D. Dwyer, Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154 Page **11** of **14**



14.1. UN number: UN1950
14.2. UN proper shipping name: AEROSOLS
14.3. Transport hazard class(es): 2.1
14.4 Packing group: None allocated
14.5. Environmental hazards
Environmentally hazards: No
Marine pollutant: No
14.6. Special precautions for user: See section 8 for safe handling.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

EU legislation.

The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

15.2. Chemical safety assessment: No chemical safety assessment has been carried out as not applicable as this product is a mixture.

Section 16: Other information

Other information: This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Key literature references and sources for data

Material Safety Data Sheet, miscellaneous manufacturers.

SDS status: The hazard statements listed below in this section No 16 relate to the raw materials (ingredients) in the product (as listed in section 3) and NOT the product itself. For the hazard statements relating to this product see section 2.



Managing Director: M.P. Johnson, C.O.O: S.C. Daly Directors: L.M. Blackhurst, D.D. Dwyer, Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154 Page **12** of **14** Revision: 2 20 April 2023



Hazard statements in full: H222 Extremely flammable gas.

H222 Extremely flammable aerosol.

H229 Pressurised container. May burst if heated.

H226 Flammable liquid and vapour.

H272 May intensify fire; oxidiser.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H301 Toxic if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H410 Very toxic to aquatic life with long lasting effects.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Abbreviations & Acronyms

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland waterways

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road **CAS:** Chemical Abstract Service Number

CDG: The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations **CLP:** Classification Labelling & Packaging Regulation (EC No. 1272/2008)

COMAH: Control of Major Accident Hazards

DSEAR: The Dangerous Substances and Explosive Atmospheres Regulations

EH40: Workplace exposure limits -Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations

EINECS: European Inventory of Existing Commercial Chemical Substances

EN: European Standard

GHS: Global Harmonised System of Classification and Labelling of Chemicals

IMDG: International Maritime Dangerous Goods Code

OEL: Occupational Exposure Limit

Managing Director: M.P. Johnson, C.O.O: S.C. Daly

Directors: L.M. Blackhurst, D.D. Dwyer,

Address: LEC House, Alfred Street, Wavertree, Liverpool, L15 4LH

Registered in England – Company No. 1256061 VAT No. GB166 3941 43 – DPN: Z9943154



Revision: 2 20 April 2023



PBT: Persistent Bio accumulative and Toxic
vPvB: Very Persistent and Very Bio accumulative
PPE: Personal Protective Equipment
PSSR: The Pressure Systems Safety Regulations
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail
RIDDOR: Reporting of Injuries, Diseases and Dangerous Occurrences Regulations
STEL: Short-Term Exposure Limit
TWA: Time-Weighted Averages
WEL Workplace Exposure Limit

